

Maharashtra University of Health Sciences, Nashik
Inspection Committee Report for Academic Year 2026 - 2027

Clinical Material in Hospital

Name of College/Institute :- Asharam College of Nursing


Faculty :- Nursing

HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute/College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own/ parent Hospital (Affiliated hospital must be 50 bedded or more.) To be made available on website	01 Parent Hospital 09 Affiliated Hospital	Adequate
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: Copy to be made available on web site	Yes	Adequate
b.	Student Bed Ratio for UG & PG to be verified: (As per MSR) Calculate at Actual		
c.	Average Bed Occupancy in % : (Minimum 75%)	80 -85%	Adequate
d.	Clinical facilities for PG to be verified:-(As per MSR)	NA	NA
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD (current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)	Affiliated to Dalvi Hospital	
<ul style="list-style-type: none"> • As per Central Council Norms /University Norms, above Infrastructure must be available at College. • If Infrastructure is available, then mark "Adequate" & do not attach any Documents it should be available on college website • In case of "Inadequate", it must be marked as "Inadequate" with the evidence. To be submit to university with report 			

Here we declare all relevant document uploaded are clear and visible on website & are true as per my knowledge & Belief

Any Other, Please Specify: -


Vice Principal

Asha Ram College of Nursing

Dean/Principal Stamp & Signature

Date: -05/02/2025





महाराष्ट्र MAHARASHTRA

2020



MEMORANDUM OF UNDERSTANDING

This Memorandum of understanding is made on this 03rd day of July 2021

BETWEEN

MANAKCHAND PRABHUDAN CHARITABLE TRUST,

Reg. no. E 1734 (NAG) Kamptee, Nagpur.

Hereafter called as "Party No. 1"


AND

Asha Institute of Medical Science & Research Centre Pvt. Ltd. Kamptee (Asha Hospital, Cantonment, Kamptee)

Here in after called as "Party No. 2"

1. Manakchand Prabhudan Charitable Trust to spread & Promote. Education for the girls of the rural area of kamptee District Nagpur. Trust also through of establishing educational Schools, Colleges and university as a study centre to promote the poor students of the rural area.

१) मुद्रांक विक्री नोंद वही अनु क्रमांक ११०९ / दिनांक २२/०७/२०२१
२) दस्ताचा प्रकार - अडस्टेकींग
३) दस्त नोंदणी करणार आहेत का होय / नाही
४) निलकळीचे थोडक्यात वर्णन -
५) मुद्रांक विक्री घेणाऱ्याचे नाव व पत्ता - आशाराम कॉलेज ऑफ नर्सिंग, कामठी
६) हस्ताक्षर करणाऱ्याचे नाव व पत्ता - सुधा शोराप
७) दुसऱ्या पक्षाचा नाव -
८) मुद्रांक शुल्क रक्कम - १००/-
<p style="text-align: center;"><u>Harat</u></p> <p style="text-align: right;">शोभा द. वंजारी तह. कार्यालय कामठी ला.न. ८/८९</p>



2. The Philosophy behind the establishment of Asharam College & School of Nursing is to educate & train the student nurses professionally by impacting the professional knowledge as per the syllabus and to help them in developing skills in their professional functions & to include right type of professional attitude in them to function as a good citizen in the society for promoting health, prevention of illness and rehabilitation of individual family and community, especially in rural and remote areas of our country.
3. The party No. 1 executed this agreement by Dr. Rajendra Rambabuji Agrawal, aged to 65 year Occupation, Physician, Residing at Plot No. 6 Shri Ramlaxmi Society , Near Asha Hospital , Cantonment Area Kamptee 441001 Dist Nagpur. Who held the post president in the trust .
4. The party No. 2 is engaged in the line of prestigious & quality oriented hospital activities in the city of Nagpur and around its various medical facilities to the public at large.

5. The party No. 2 executed this agreement through its Dr. Saurabh Rajendra Agrawal, aged to 36 year Residing at Plot No. 6 Shri Ramlaxmi Society , Near Asha Hospital , Cantonment Area Kamptee 441001 - Dist Nagpur

NOW THEREFORE BOTH THE PARTIES 1 AND 2 AGREE FOR :

1. THAT party No. 1 is applying for Basic B.Sc Nursing, RGNM , RANM Nursing course of Health Sciences, Nashik & Maharashtra Nursing Council, Mumbai .
2. THAT party No. 2 is having 160 beded hospitals with more than 75%Occupancy.
3. THAT party No. 1 has requested to party no 2 for providing their hospital for clinical experience and practical Training of nursing students.
4. THAT party No. 2 has agreed to provide their hospital for clinical experience of nursing students.
5. That party No. 2 has agreed to provide the facility for 5 year form today onwards It can be renewed after mutual agreement.

Place: Nagpur

MANAKCHAND PRABHUDAN CHARITABLE TRUST

TRUSTEE
Party No. 1

Witness

CFO

Asharam College of Nursing
Kamptee 441002 Dist. Nagpur

ASHA INSTITUTE OF MEDICAL SCIENCES
& RESEARCH CENTRE PVT. LTD.

Director
Party No. 2



Government of Maharashtra
Public Health Department
CIVIL SURGEON,
GENERAL HOSPITAL NAGPUR
Certificate Of Registration

Under Section 5 of the
Bombay Nursing Home Registration Act 1949
(Extension of Provision)

FORM 'C' (Under Rule 5)

This is to certify that Shri/Smt/Hospital **Dr. Rajendra Agrawal** has been registered under the Bombay Nursing Home Registration Act 1949 in respect of name of Nursing Home **ASHA Hospital A Unit of ASHA Institute of Medical Sciences & Research Centre Pvt. Ltd.** situated near **Lekhanagar Contonment, Kamptee, Dist. Nagpur 441001** and has been authorized to carry on the said Nursing Home.

Registration No: **35/2006.**

Maternity Cots: **25.**

Date of registration: **19/12/2006.**

Other Nursing Cots: **135.**

This Certificate shall be valid up to **31st March 2028.**

Date of Issue: **27/03/2025.**

H. P.



Civil Surgeon
General Hospital, Nagpur.
CIVIL SURGEON
GENERAL HOSPITAL NAGPUR

L. H. J.
Vice Principal

Asha Ram College of Nursing
Kamptee

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

ORANGE/M.S.I

Date: 17/01/2026

No:- Format1.0/CC/UAN No.0000260379/CO/2601001679

To,
M/s. Asha Hospital - A Unit of Asha Institute of Medical
Sciences & Research Centre Pvt.Ltd.
NH-44, Near Lekhanagar, Cantonment, Kamptee Dist-
Nagpur-441001
Email: drrajenagrawal@gmail.com
Contact No.:8007755544



Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no.Format1.0/CC/UAN No 0000124564/CR/2209001868 dated 29.09.2022
 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 11/09/2025
 3. SCN for Refusal dt.12/11/2025
 4. Your reply on dated 26/11/2025
 5. Minutes of 11th CC meeting held on 04.11.2025

After examining the proposal, The Maharashtra Pollution Control Board hereby Renewal of Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for period from 01.12.2025 to 30.11.2033
2. HCF Area :- Plot Area 4185.00 M² with Built-up area 1860.00 M².
3. **Activities Included**
 - a. Total Number of Beds : **160 Nos.** BNH Registration No.35/2006
4. **Conditions under the Water (P&CP) Act, 1974:-**

1. Quantity of total water consumption shall not exceed 129.8 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.

2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

5. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

6. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	35.3 Chemical sludge from waste water treatment	35.3	5	Kg/Day	CHWTSDF

7. Conditions about Non Hazardous Wastes:-

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Biological Sludge	10	Kg/Day	Use as manure	Gardening

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).


Vice Principal

Asha Ram College of Nursing

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 3.5 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice
18. The industry / HCE shall create an Environment Cell by appointing an Environmental Engineer / Expert for looking after day-to-day activities related to Environment / Pollution control.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



By Shri. M. Devender Singh

896317bf
72dd5754
4a160bd6
8b4319bd
7ac566f5
f9b84dd2
e3ab87e2
77b44c9f

Signed by: Shri. M. Devender Singh
Member Secretary
For and on behalf of,
Maharashtra Pollution Control Board
ms@mpcb.gov.in
2026-01-17 13:50:47 IST

Received Consent/Authorization fee of -


Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	250000.00	TXN2509001900	11/09/2025	Online Payment
2	12500.00	TXN2511004807	26/11/2025	Online Payment
3	77211.00	TXN2511004812	26/11/2025	Online Payment

Balance Fees of Rs.42175/- will be consider at the time of next Renewal of CCA



Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
 - Regional Officer, MPCB, Nagpur is directed to ensure submission of Bang Guarantee by Hospital as specified in Schedule-III of CCA and monitor the compliance of consent conditions
 - Sub-Regional Officer, MPCB, Nagpur-I is directed to ensure the compliance of consent conditions
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.
4. Regional Officer, MPCB-Nagpur- for information, please.



S. H. ...
Vice Principal
Asha Ram College of Nursing
Kamptee

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	5.00
2.	Domestic purpose	109.80
3.	Pathology Laboratory, Floor washing, Operation Theater	5.00
4.	Laundry	5.00
5.	Other such as agriculture, gardening, etc.	10.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	89.9	As per clause 'C'	100% Recycle
2	Trade effluent	8	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable	
		Limiting Concentration in mg/except for pH	
1	pH	6.5-9.0	
2	Oil & Grease	10	
3	BOD (3 days 27°C)	30	
4	COD	250	
5	Total Suspended Solids	100	
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent	

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.


 Asha Rani College of Nursing
 Kanholte

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG Set (125 KVA & 200 KVA)	Diesel	4.00 Kg/Hr	11.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.


Vice Principal
Asha Ram College of Nursing
Kamptee

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:


Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	25.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	200.00		
		d) Expired or Discarded Medicines	20.00	Separate collection system leading to effluent treatment system.	
		e) Chemical Waste	5.00		
		f) Chemical Liquid Waste	5.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	20.00		
		h) Microbiology Biotechnology and other clinical laboratory waste	5.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	150.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
3	White (Translucent)	Waste sharps including Metals	40.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
4	Blue	a) Glassware	32.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Metallic body implants	6.00		

[Handwritten Signature]
Principal

SCHEDULE-II

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals, Nagpur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).


Vice Principal

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	200,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	25,000.00
3	To upgrade existing Sewage treatment plant and ETP	Continuous	50,000.00
Total			3,50,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.


If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122


 Vice Principal
 Asha Ram College of Nursing
 Kamptee

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.


Vice Principal

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 120 days of expiry.

This certificate is digitally & electronically signed.




Vice Principal
Asha Ram College of Nursing
Kamptee



महाराष्ट्र MAHARASHTRA

2021

SUB-TREASURY OFFICE
KAMPTEE 8324
29 OCT 2021

MEMORANDUM OF UNDERSTANDING

This Memorandum of understanding is made on this 19th day of February 2022

BETWEEN

MANANAKCHAND PRABHUDAN CHARITABLE TRUST,

Reg. no. E 1734(NAG) Kamptee, Nagpur

Hereafter called as "Party No. 1"

NOTARIAL REG.
ENTRY NO. 656
DATE 22/2/2022

AND

New Era Hospital, Queta Colony, Lakadganj, Nagpur

Manakchand Prabhudan Charitable Trust was formed on 2002 to spread & Promote, Education for the girls of the rural area of kamptee District Nagpur. Trust also through of establishing educational Schools, Colleges and university as a study centre to promote the poor students of the rural area.



DIRECTOR
NEWERA HOSPITAL

MANAKCHAND PRABHUDAN CHARITABLE TRUST

Vice Principal
Asha Ram College of Nursing
Kamptee

१) मुद्रांक दिवसी नोंद घरी केंद्र नं. - १११५५ / दिनांक - २/११/२०२१
२) हस्ताक्षर करणारे - हसीपत्र
३) हस्ताक्षर करणारे व्यक्तीचे नाव - होय / जरी
४) हस्ताक्षर करणारे व्यक्तीचे पत्ता -
५) हस्ताक्षर करणारे व्यक्तीचे नाव व पत्ता - आशाश्रम कॉलेज ऑफ नर्सिंग, कामठी
६) हस्ताक्षर करणारे व्यक्तीचे नाव व पत्ता - मारोती बेडे
७) दुसऱ्या हस्ताक्षर करणारे व्यक्तीचे नाव -
८) मुद्रांक शुल्क रक्कम - १००/-

शोभा ड. वजारी
लिह. कार्यालय कामठी
ता. न. ८/११



1. The Philosophy behind the establishment of Asharam College & School of nursing is to educate & train the student nurses professionally by impacting the professional knowledge as per the syllabus and to help them in developing skills in their professional functions & to include right type of professional attitude in them to function as a good citizen in the society for promoting health, prevention of illness and rehabilitation of individual family and community, especially in rural and remote areas of our country.

2. The party No. 1 executed this agreement by Dr. Rajendra Rambabuji Agrawal, aged to 65 year Occupation: Physician, Residing at near lekha Nagar Cantonment area kamptee, Dist Nagpur who held the post of president in the trust.

3. The party No. 2 is engaged in the line of prestigious & quality oriented hospital activities in the city of Nagpur and around its various medical facilities to the public at large.

4. The party No. 2 executed this agreement through its Dr. Nilesh Agrawal, New Era Hospital, Queta Colony, Lakadganj, Nagpur 440008.

DIRECTOR
NEWERA HOSPITAL

MANAKCHAND PRABHUDAN CHARITABLE TRUST

TRUSTEE

L. H. J. J.
Vice Principal

Asha Ram College of Nursing
Kamptee

Now therefore both the parties 1 and 2 agree for :

1. THAT party No. 1 is applying for Basic B.Sc Nursing, RGNM , RANM Nursing course of Health Sciences, Nashik & Maharashtra Nursing Council, Mumbai .
2. THAT party No. 2 is having 100 beded hospitals with more than 75% Occupancy.
3. THAT party No. 1 has requested to party no 2 for providing their hospital for clinical experience and practical Training of nursing students.
4. THAT party No. 2 has agreed to provide their hospital for clinical experience of nursing students.
5. That party No. 2 has agreed to provide the facility for 10 years form today onwards It can be renewed after mutual agreement.

Place: Nagpur


Witness




Party No. 1
MANAKCHAND PRABHUDAN CHARITABLE TRUST


WITNESS

Party No. 2

DIRECTOR

NEWERA HOSPITAL


ATTESTED



Y.Z. BAGDE

NOTARY

Tah. KAMPTEE Dist. Nagpur
(M. INDIA)



Vice Principal
Asha Ram College of Nursing
Kamptee

NAGPUR MUNICIPAL CORPORATION, NAGPUR

(HEALTH DEPARTMENT)



FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home
Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. Dr. Anand J. Sancheti (MBBS, MS, MCH) & Other (Mentioned Five) has been registered under the Bombay Nursing Home Registration Act 1949 in respect of NewEra Hospital & Research Institute situated at Telephone Exchange Chowk, C.A. Road, Queta Colony, Near Jalaram Mandir, Nagpur and has been authorized to carry on the said nursing home.

Registration No. : 834

Date of Registration : 15/04/2010

Place : Nagpur

Date of issue of certificate : 01/04/2023

Maternity : 10

Other Nursing : 90

This certificate of registration shall be valid up to 31 Mar 2026.



[Signature]

Signature


Registering Authority
Medical Officer Health
Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place.
Application for renewal should be done in advance in the month of January.

[Signature]
Vice Principal
Asha Ram College of Nursing
Kamptee

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: psa@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

ORANGE/M.S.I

Date: 04/06/2024

No:- Format1.0/PSO/UAN No.0000204874/CO/2406000225

To,
New Era Hospital
CTS No. 111, C.A Road, Telephone Exchange Chowk,
Queta Colony, Near Jalaram Mandir, Nagpur-440008
Email: newerahospitalngp@gmail.com
Contact No.: 7888036408



Renewal of Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref: 1. Combined Consent and Bio-Medical Waste Authorization granted by the Board vide no. Format1.0/PSO/UAN No.0000123099/CO/2202001631 dated 25.02.2022
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 01/04/2024

After examining the proposal, The Maharashtra Pollution Control Board hereby renew Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

- This CCA shall be in force for a period From **01-04-2024 To 31-03-2028**
- The capital investment of the HCF is **₹1882.46 Lakhs** (As per C.A Certificate Submitted by HCF)
- HCF Area - Plot Area 794.18 M² with Built-up area 1590.61 M².
- Activities Included**
 - Total Number of Beds : **100 Nos.** (As per BNH certificate no. 834 valid upto 31-03-2026)
 - General Beds : **90 Nos**
 - Maternity Beds : **10 Nos**
- Conditions under the Water (P&CP) Act, 1974:-**
 - Quantity of total water consumption shall not exceed 47 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.


Vice Principal
Asha Ram College of Nursing
Kamptee

2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act, 1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof:


Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
		NA			

9. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

10. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
11. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
12. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
13. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.


Vice Principal

Asha Ram College of Nursing
Kamptee

14. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
15. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
16. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
17. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
18. You shall extend the bank guarantee of INR 1.5 lakh towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Handwritten signature

01700867
e88607a7
50bb7f06
e9760388
49af3175
8be3ed7e
30046533
862527bb

Signed by: Dr. Vishwajeet Ramesh Thakur
Principal Scientific Officer,
For and on behalf of,
Maharashtra Pollution Control Board
ps@mpcb.gov.in
2024-06-04 18:03:39 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	100000.00	MPCB-DR-25675	01/04/2024	NEFT

Balance amount of Rs. 35000 will be considered at the time of next renewal of consent.

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
-- They are directed to ensure the compliance of the consent conditions. Also RO is directed to release the BG of Rs 1.5 lakh obtained towards provision of separate BMW storage facility and STP for treatment of domestic sewage as HCE has complied the same.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Handwritten signature
Vice Principal

Asha Ram College of Nursing
Kamptee

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**A. Water Consumption Details:-**

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	45.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	40	As per clause 'C'	Municipal sewers
2	Trade effluent	1.5	As per clause 'C'	Municipal sewers

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/l except for pH
1.	pH	6.5-9.0
2.	Oil & Grease	10
3.	BOD (3 days 27°C)	30
4.	COD	250
5.	Total Suspended Solids	100
6.	Bio-Assay Test	90% survival of fish after 96 hours in 100% effluent

- D.** You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E.** You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F.** The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G.** You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG set (125 KVA & 160 KVA)	Diesel	20.00 Lit/Day	5.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.


Vice Principal

Asha Ram College of Nursing
Kamptee

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	110.00	Yellow coloured non-chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	215.00		
		d) Expired or Discarded Medicines	2.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	20.00	Yellow coloured non-chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	5.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	270.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
3	White (Translucent)	Waste sharps including Metals	15.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
4	Blue	a) Glassware	10.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Metallic body implants	20.00		

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals, Nagpur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A Operation and Maintenance			
1	To Segregate and Handle BMW as per Schedule I.	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards.	Continuous	50,000.00
1B Records			
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTF.	Continuous	25,000.00
Total			1,50,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.




Vice Principal
Asha Ram College of Nursing
 Namptee

General Conditions


The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated, 16/11/2009 as amended.


Vice Principal
Asha Ram College of Nursing
Kamptee

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.



Vice Principal
Asha Ram College of Nursing
Kamptee



महाराष्ट्र MAHARASHTRA

2020



MEMORANDUM OF UNDERSTANDING

This Memorandum of understanding is made on this 03rd day of July 2021

BETWEEN

MANAKCHAND PRABHUDAN CHARITABLE TRUST,

Reg. no. E 1734 (NAG) Kamptee, Nagpur.

Hereafter called as "Party No. 1"

AND

Nelson Mother & child Care Hospital (Central India's Child Hospital & Research Institute) at Plot No. 32 Behind Hitvada Press, Dhantoli Nagpur- 440012

Here in after called as "Party No. 2"

1. Manakchand Prabhudan Charitable Trust to spread & Promote. Education for the girls of the rural area of kamptee District Nagpur. Trust also through of establishing educational Schools, Colleges and university as a study centre to promote the poor students of the rural area.


Vice Principal
Asha Ram College of Nursing
Kamptee

१) मुद्रांक विक्री नोंद वही अनु क्रमांक ३१११ / दिनांक ०२/०७/२०२१

२) वस्तुचा प्रकार - अंतरलेकीत ✓

३) वस्तु नोंदणी करणार आहेत का होय / नाही

४) वस्तुचे थोडक्यात वर्णन -

५) मुद्रांक विक्रीत घेणाऱ्याचे नाव व पत्ता - काशाराम कॉलेज ऑफ नर्सिंग, कामठी

६) हरत घेणाऱ्याचे नाव व पत्ता - सुहा शिराम

७) दुसऱ्या पक्षाचा नाव -

८) मुद्रांक शुल्क रक्कम - १००

Shirani

शोभा द. वंजारी
तह. कार्यालय कामठी
ला.न. ८/८८

2. The Philosophy behind the establishment of Asharam College & School of Nursing is to educate & train the student nurses professionally by impacting the professional knowledge as per the syllabus and to help them in developing skills in their professional functions & to include right type of professional attitude in them to function as a good citizen in the society for promoting health, prevention of illness and rehabilitation of individual family and community, especially in rural and remote areas of our country.
3. The party No. 1 executed this agreement by Dr. Rajendra Rambabuji Agrawal, aged to 65 year Occupation, Physician, Residing at Plot No. 6 Shri Ramlaxmi Society, Near Asha Hospital, Cantonment Area Kamptee 441001 Dist Nagpur. Who held the post president in the trust.
4. The party No. 2 is engaged in the line of prestigious & quality oriented hospital activities in the city of Nagpur and around its various medical facilities to the public at large.

R. Agrawal
Vice Principal
Asha Ram College of Nursing
Kamptee

5. The party No. 2 executed this agreement through its Nelson Mother & child Care Hospital (Central India's Child Hospital & Research Institute) at Plot No. 32 Behind Hitvada Press, Dhantoli Nagpur- 440012

NOW THEREFORE BOTH THE PARTIES 1 AND 2 AGREE FOR :

1. THAT party No. 1 is applying for Basic B.Sc Nursing, RGNM , RANM Nursing course of Health Sciences, Nashik & Maharashtra Nursing Council, Mumbai .
2. THAT party No. 2 is having 64 beded hospitals with more than 75%Occupancy.
3. THAT party No. 1 has requested to party no 2 for providing their hospital for clinical experience and practical Training of nursing students.
4. THAT party No. 2 has agreed to provide their hospital for clinical experience of nursing students.
5. That party No. 2 has agreed to provide the facility for 5 year form today onwards It can be renewed after mutual agreement.

6. Rs. 1000 to be paid for Per student Per session
MANAKCHAND PRABHUDAN CHARITABLE TRUST

Place: Nagpur



TRUSTEE
Party No. 1

Witness




CFO
Asharara College of Nursing
Kamptee 441002 Dist. Nagpur

Party No. 2


1/3/2021

NELSON MOTHER & CHILD CARE HOSPITAL
Formerly, known as India's Child Hospital & Research Institute
Plot No. 32, Behind Hitvada Press Dhantoli,
Nagpur-440012 ☎ 2432000 2433000 2434000
Emergency No. 7507701177
E-mail info@nelsonhospitals.com
Website www.nelsonhospitals.com
Facebook.com/nelsonhospitals
twitter.com/nelsonhospital


Vice Principal
Asha Ram College of Nursing
Kamptee

NAGPUR MUNICIPAL CORPORATION, NAGPUR

(HEALTH DEPARTMENT)



FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home
Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. Mr. Mahendra R. Thakur (Director) has been registered under the Bombay Nursing Home Registration Act 1949 in respect of Nelson Hospital (A Unit of SMD Hospitals Pvt. Ltd.) situated at Plot No. 32, Behind Hitvada, Beside Spandan Hospital, Dhantoli, Nagpur and has been authorized to carry on the said nursing home.

Registration No. : 995

Date of Registration : 26/04/2018

Place : Nagpur

Date of issue of certificate : 01/04/2024

Maternity : 13

Other Nursing : 87

This certificate of registration shall be valid up to 31 Mar 2027.



[Handwritten Signature]
Signature

Registering Authority
Medical Officer Health
Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place.

[Handwritten Signature]
Vice Principal

Asha Ram College of Nursing
Kamptee

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: ps@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

ORANGE/M.S.I

Date: 19/07/2024

No:- Format1.0/PSO/UAN No.0000194895/CO/2407001908

To,
NELSON HOSPITAL (A UNIT OF SMD HOSPITALS PVT
LTD)
PLOT NO - 32, DHANTOLI,
NAGPUR-440012
Email: admnnelson@gmail.com
Contact No.:7507701177




Renewal of Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref: 1. Combined Consent and Bio-Medical Waste Authorization granted by the Board vide no.Format1.0/PSO/UAN No.0000130520/CR/2209000122 dated 02.09.2022
2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 25/01/2024

After examining the proposal, The Maharashtra Pollution Control Board hereby renew Combined Consent to Operate and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **01-04-2024 To 31-03-2026**
2. The capital investment of the HCF is **₹374.00 Lakhs** (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 9926.00 M² with Built-up area 3587.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. 995 valid upto 31-03-2024)
 - I. Maternity Beds : **13 Nos**
 - II. Other Beds : **87 Nos**


Vice Principal

Asha Ram College of Nursing
Kamptee

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 50 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDf and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
NA					


8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).

10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.


Vice Principal
Asha Ram College of Nursing
Kamptee

11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPCB Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 1.5 lakh towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Handwritten signature



46a2148d
4cb430b8
0d37d0b6
e927c489
7b5fcb88
5dd58da5
0936433c
06baa6d2

Signed by: Dr. Vishwajeet Ramesh Thakur
Principal Scientific Officer
For and on behalf of,
Maharashtra Pollution Control Board
psos@mpcb.gov.in
2024-07-19 12:13:22 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	75000.00	MPCB-DR-24000	25/01/2024	NEFT
2	25000.00	MPCB-DR-24955	01/03/2024	NEFT
3	165000.00	MPCB-DR-27193	07/06/2024	RTGS

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur / - They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**A. Water Consumption Details:-**

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	23.00
2.	Domestic purpose	23.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	4.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	20	As per clause 'C'	On land for gardening
2	Trade effluent	3	As per clause 'C'	On land for gardening

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1.	pH	6.5-9.0
2.	Oil & Grease	10
3.	BOD (3 days 27°C)	30
4.	COD	250
5.	Total Suspended Solids	100
6.	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.**E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.****F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.****G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.****H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.**


Vice Principal


Asha Ram College of Nursing
Kamptee

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG set 500 KVA	HSD	25.00 Ltr/Hr	10.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.


 Vice Principal

Asha Ram College of Nursing
 Kamptee

SCHEDULE-I

Authorization for Management of Bio-Medical Waste (Category and Quantity)


The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	20.00	Yellow coloured non-chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur, Nagpur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	215.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	110.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	2.00	Yellow coloured non-chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	25.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	1.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
3	White (Translucent)	Waste sharps including Metals	30.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
4	Blue	a) Glassware	1.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Metallic body implants	1.00		


 Vice Principal
 Asha Ram College of Nursing
 Kamptee

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals, Nagpur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).



Vice Principal

Asha Ram College of Nursing
Kamptee


SCHEDULE-III

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	25,000.00
Total			1,50,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.


Vice Principal
Asha Ram College of Nursing
Kamptee

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.



J. P. ...
Vice Principal

Asha Ram College of Nursing
Kamptee



NELSON HOSPITAL(A UNIT OF SMD HOSPITAL PVT. LTD)

Plot No.: 32, Behind Hitavada Press, Dhantoli, Nagpur

BANK RECEIPT VOUCHER

Voucher #: JR-2054

Date:09-10-2025

ACCOUNTS	DEBIT	CREDIT
AXIS BANK CC AC 917020069905769 <i>Notes: Reconciliation Date:09-10-2025</i>	48,600.00	
Asharam School of Nursing RANM		48,600.00
TOTAL:	48,600.00	48,600.00

Narration: Payment Through: Cheque - Inst No.: 351508 Bank Name: AXIS BANK CC AC 917020069905769 Date: 09-10-2025 - (Notes: Being Chq Clear date 03.10.2025 again B.SC Nursing Training Period 01.10.2025 to 18.10.2025 54 Students.)


Mr. SHUBHAM VASANT
CHAVHAN

[Prepared By]

[Authorised Signatory]

~~[Accountant]~~


[Receiver]


Vice Principal
Asha Ram College of Nursing
Kamptee



महाराष्ट्र MAHARASHTRA

2020



MEMORANDUM OF UNDERSTANDING

This Memorandum of understanding is made on this 03rd day of July 2021

BETWEEN

MANAKCHAND PRABHUDAN CHARITABLE TRUST,

Reg. no. E 1734 (NAG) Kamptee, Nagpur.

Hereafter called as "Party No. 1"

AND

Meditrina Hospital, Ramdaspeth Road, Nagpur

Here in after called as "Party No. 2"

1. Manakchand Prabhudan Charitable Trust to spread & Promote. Education for the girls of the rural area of kamptee District Nagpur. Trust also through of establishing educational Schools, Colleges and university as a study centre to promote the poor students of the rural area.


Vice Principal
Asha Ram College of Nursing
Kamptee

१) मुद्रांक विक्री नोंद वही अनु क्रमांक ३९९३ / दिनांक ०२/०/२०२१

२) दस्तावेजा प्रकार - अडवेली

३) दस्त नोंदणी करणार आहेत का हं/य / नाही

४) विक्री करीचे थोडक्यात वर्णन -

५) मुद्रांक विक्री घेणाऱ्याचे नाव व पत्ता - आशाराम कॉलेज ऑफ नर्सिंग, कामठी


६) मुद्रांक विक्री घेणाऱ्याचे नाव व पत्ता - सुधा शरान

७) मुद्रांक विक्री कराराचे नाव -

८) मुद्रांक शुल्क रक्कम - १००/-

शोभा द. वंजारी
तह. कार्यालय कामठी
ला.नं. ८/८९

Handwritten signature



2. The Philosophy behind the establishment of Asharam College & School of Nursing is to educate & train the student nurses professionally by impacting the professional knowledge as per the syllabus and to help them in developing skills in their professional functions & to include right type of professional attitude in them to function as a good citizen in the society for promoting health, prevention of illness and rehabilitation of individual family and community, especially in rural and remote areas of our country.
3. The party No. 1 executed this agreement by Dr. Rajendra Rambabuji Agrawal, aged to 65 year Occupation, Physician, Residing at Plot No. 6 Shri Ramlaxmi Society , Near Asha Hospital , Cantonment Area Kamptee 441001 Dist Nagpur. Who held the post president in the trust .
4. The party No. 2 is engaged in the line of prestigious & quality oriented hospital activities in the city of Nagpur and around its various medical facilities to the public at large.

Handwritten signature

Vice Principal
Asha Ram College of Nursing
Kamptee

5. The party No. 2 executed this agreement through its Meditrina Hospital, Ramdaspath Road Nagpur.

NOW THEREFORE BOTH THE PARTIES 1 AND 2 AGREE FOR :

1. THAT party No. 1 is applying for Basic B.Sc Nursing, RGNM , RANM Nursing course of Health Sciences, Nashik & Maharashtra Nursing Council, Mumbai .
2. THAT party No. 2 is having 100 beded hospitals with more than 75%Occupancy.
3. THAT party No. 1 has requested to party no 2 for providing their hospital for clinical experience and practical Training of nursing students.
4. THAT party No. 2 has agreed to provide their hospital for clinical experience of nursing students.
5. That party No. 2 has agreed to provide the facility for 5 year form today onwards It can be renewed after mutual agreement.

Place: Nagpur

MANAKCHAND PRASHUDAN CHARITABLE TRUST



Party No. 1

Witness



CFO

Asharam College of Nursing
Kamptee 441002 Dist. Nagpur




Vice Principal
Asha Ram College of Nursing
Kamptee



NAGPUR MUNICIPAL CORPORATION, NAGPUR

(HEALTH DEPARTMENT)



FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home
Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. Dr. Sameer N. Paltewar (MBBS,MS,MCH) has been registered under the Bombay Nursing Home Registration Act 1949 in respect of Meditrina Institute of Medical Science situated at Plot No. 278, Lendra Park, Central Bazar Road, Ramdaspath, Nagpur and has been authorized to carry on the said nursing home.

Registration No. : 895

Date of Registration : 20/01/2012

Place : Nagpur

Date of issue of certificate :01/04/2023

Maternity : 10

Other Nursing : 90

This certificate of registration shall be valid up to 31 Mar 2026.



Signature

Registering Authority

Medical Officer Health

Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place.
Application for renewal should be done in advance in the month of January.

Vice Principal

Asha Ram College of Nursing
Kamptee

Faint, illegible text at the top of the page, possibly a header or title.



Faint, illegible text at the bottom left of the page, possibly a footer or page number.



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

Application for Consent/ Authorisation

Sir,
I/We hereby apply for*

1. Consent to Establish/Operate/Renewal of consent under section 25 and 26 of the Water (Prevention & Control of Pollution) Act, 1974 as amended.
2. Consent to Establish/Operate/Renewal of consent under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981, as amended.
3. Authorization/renewal of authorization under Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 in connection with my/our/existing/proposed/altered/ additional manufacturing/processing activity from the premises as per the details given below.

Consent Information

UAN No:
MPCB-CONSENT-0000174173

Application submitted on:
20-06-2023

Industry Information

Consent To:
Renewal (Normal)

IIN No.:
0000155389

Submit to:
SRO - Nagpur I

Type of institution:
Health Care Establishment

Industry Type:
Local Body

Category:

Scale:
L.S.I

Location of industry/activity/etc:
Private Industry Estate

Name of Private Industry Estate:
MEDITRINA INSTITUTE OF MEDICAL SCIENCES

EC Reqd.:
No

Whether construction-buldup area is more than 20,000 sq.mtr.(Existing Expansion Unit)

No

General Information

1. Name, designation, office address with Telephone/Fax numbers, e-mail of the Applicant Occupier/Industry/Institution / Local Body.

Name
Dr. Sameer Narayan Paltewar

Address
278 C. B. Road Ramdaspath, Nagpur 10

Designation
Chairman & Managing Director

Taluka
Nagpur

Area
Ramdaspath

District
Nagpur

Telephone
8668458637

Fax


Vice Principal
Asha Ram College of Nursing
Kamptee

Email
quality@meditrinahealthcare.com

Pan Number
AACCV4557E

2. (a) Name and location of the industrial unit/premises for which the application is made (Give revenue Survey Number/Plot number name of Taluka and District, also telephone and fax number)

Industry name

MEDITRINA INSTITUTE OF MEDICAL SCIENCES

Location of Unit

278 CENTRAL BAZAR ROAD RAMDASPETH NAGPUR

Taluka

NAGPUR

Survey number/Plot Number

278

District

Nagpur

(b) Details of the planning permission obtained from the local body/Town and Country Planning authority/Metropolitan Development authority/ designated Authority.

Planning permission

NA

Planning Authority

NA

Name of the local body under whose jurisdiction the unit is located and Name of the licence issuing authority

Name of Local Body

NMC

Name of the licence issuing authority

NMC

3. Names, addresses with Telephone and Fax Number of Managing Director / Managing Partner and officer responsible for matters connected with pollution control and/or Hazardous waste disposal.

Name of Managing Director

DR. SAMEER PALTEWAR

Telephone number

8668458637

Fax number

Officer responsible for day to day business

DR.AMRITA SHARMA

4. (a.) Are you registered Industrial unit ?

Yes

Registration number

895

Date of registration

Jan 20, 2012

5. Gross capital investment of the unit without depreciation till the date of application (Cost of building, land, plant and machinery). (To be supported by an affidavit/undertaking on Rs.20/- stamp paper, annual report or certificate from a Chartered Accountant for proposed unit(s), give estimated figure)

Gross capital (in Lakh)

455316947.00

*** Verified**

CA Certificate

*** Terms**

1

*** Consent Fee**

9106338940.00

6. If the site is located near sea-shore/river bank/other water bodies/Highway, Indicate the crow fly distance and the name of the water body, if any.

Distance From	Distance(Km)	* Name
SH/NH	0.00	--NA--
River	0.00	--NA--
Human Habitation	0.00	--NA--
Religious Place	0.00	--NA--
Historical Place	0.00	--NA--
Creek/Sea	0.00	--NA--

6b. Enter Latitude and Longitude details of site

Latitude

0

Longitude

0

Vice Principal
Asha Ram College of Nursing
Kamptee


Vice Principal
Asha Ram College of Nursing
Kamptee

7. Does the location satisfy the Requirements Under relevant Central/State Govt. Notification such as Coastal Regulation Zone, Notification on Ecologically Fragile Area, Industrial Location policy, etc. If so, give details.

Location	Approved Industry Area	Sensitive Area	If Yes, Name Of Area	Industry Location with Reference to CRZ
CB ROAD RAMDASPETH	No	No	NA	A1

8. If the site is situated in notified industrial estate.

	Details
(a) Whether effluent collection, treatment and disposal system has been provided by the authority.	No ENCLOSED
(b) Will the applicant utilize the system, if provided.	Yes
(c) If not provided, details of proposed arrangement.	SELF INSTALLED ETP

9.

(a) Total plot area (in square meter)	(b) Built up area and (in square meter)	(c) Area available for the use of treated sewage/ trade effluent for gardening/irrigation. (in square meter)
890.01	3044.04	50

10. Month and year of commissioning of the Unit.
2012-02-19

11. Number of workers and office staff

Workers	staff	Hrs. of shift	Weekly off
270	40	24	SUNDAY

12.

(a) Do you have a residential colony Within the premises in respect of Which the present application is Made ?

No

(b) If yes, please state population staying
Number of person staying

Water consumption -
0

Sewage generation
0

Whether is STP provided?
No

(c) Indicate its location and distance with reference to plant site.

Number of person staying
NA

Water consumption
0

13. List of products and by-products Manufactured in tonnes/month, KI/month or numbers/month with their types i.e.Dyes, drugs etc. (Give figures corresponding to maximum installed production capacity)

Products Name and Quantity

Product Name	UOM	Product Name	Existing	Consented	Proposed Revision	Total	Remarks
OTHERS	--NA--	HOSPITAL	100	100	0	100	A) BEDS 100 B) TOTAL PLOT AREA 890.01 Sq.m.c Total bua 3044.04 Sq.m


Vice Principal

Asha Ram College of Nursing
Kamptee

Products Name and Quantity

Product Name	UOM	Quantity	Remarks
NA	--NA--	0	0

14. List of raw materials and process chemicals with annual consumption corresponding to above stated production figures, in tonnes/month or kl/month or numbers/month.

Name of Raw Material	UOM	Quantity	Hazardous Waste	Hazardous Chemicals	Remarks
NA	--NA--	0	No	No	NA

15. Description of process of manufacture for each of the products showing input, output, quality and quantity of solid, liquid and gaseous wastes, if any from each unit process.

NA

Part B : Waste Water aspects

16. Water consumption for different uses (m3/day)

Purpose	Consumption	Effluent Generation	Treatment	Remarks	Disposal	Remarks
Domestic Purpose	29	23	Septic Tank & Soak Pit	-	Local Bodies	-
Water gets Polluted & Pollutants are Biodegradable	6	5.5	Primary + Secondary	-	Local Bodies	-
Water gets Polluted, Pollutants are not Biodegradable & Toxic	0	0	--NA--	-	--NA--	-
Industrial Cooling, spraying in mine pits or boiler feed	0	0	--NA--	-	--NA--	-
Others	0					

17. Source of water supply, Name of authority granting permission if applicable and quantity permitted.

Source of water supply	Name of Local Body	Name of authority granting permission	Quantity permitted
Local Body	NMC	NMC, NAGPUR	35


18. Quantity of waste water (effluent) generated (m3/day)

Domestic	Boiler Blowdown	Industrial	Cooling water blowdown
23	0	0	0
Process	DM Plants/Softening	Washing	Tail race discharge from
5.50	0	0	0

* 19. Water budget calculations accounting for difference between water consumption and effluent generated.

0

20. Present treatment of sewage/canteen effluent (Give sizes/capacities of treatment units).


 Vice Principal
 Asha Ram College of Nursing
 Kamptee

Capacity of STP (m3/day)

0

Treatment unit

Size (mxm)

Retention time (hr)

NA

0

0

21. Present treatment of trade effluent (Give sizes/capacities of treatment units) (A schematic diagram of the treatment scheme with inlet/outlet characteristics of each unit operation/process is to be provided. Include details of residue Management system (ETP sludges)

Capacity of ETP (m3/day)

12

Treatment unit

Size (mxm)

Retention time (hr)

ETP DETAILS DESIGN ENCLOSED

120

1

22.

(i) Are sewage and trade effluents mixed together?

No

If yes, state at which stage-Whether before, intermittently or after treatment.

NA

23. Capacity of treated effluent sump, Guard Pond if any.

Capacity of treated effluent sump (m3) 6.0

Effluent sump/Guard pond details Yes

ENCLOSED

If yes, state at which stage-Whether before, intermittently or after treatment. No

24. Mode of disposal of treated effluent With respective quantity, m3/day

(i) into stream/river (name of river) 0

(ii) into creek/estuary (name of Creek/estuary) 0

(iii) into sea 0

(iv) into drain/sewer (owner of sewer) 0

(v) On land for irrigation on owned land/ase land. Specify cropped area. 0

(vi) Connected to CETP 0

(vii) Quantity of treated effluent reused/ recycled, m3/day Provide a location map of disposal arrangement indicating the outler(s) for sampling. Treated effluent reused / recycled (m3/day) 0

25. (a) Quality of untreated/treated effluents (Specify pH and concentration of SS, BOD, COD and specific pollutants relevant to the industry. TDS to be reported for disposal on land or into stream/river.

Untreated Effluent

pH 0

SS (mg/l) 0

BOD (mg/l) 0

COD (mg/l) 0

TDS (mg/l) 0

Specific pollutant if any

Name

Value

1

NA

NA



Vice Principal
Asha Ram College of Nursing
Kamptee

Treated Effluent:

pH	0	
SS (mg/l)	0	
BOD (mg/l)	0	
COD (mg/l)	0	
TDS (mg/l)	0	
Specific pollutant if any	Name	Value
1	NA	NA

(b) Enclose a copy of the latest report of analysis from the laboratory approved by State Board/ Committee/Central Board/Central Government in the Ministry of Environment expected characteristics of the untreated/treated effluent

NO

26. Fuel consumption

Fuel Type	UOM	Fuel Consumption TPD/LKD	Calorific value
Diesel	Ltr/Hr	125	0
Ash content	Sulphur content	Quantity	Other (specify)
0	0	1	NA

27. (a) Details of stack (process & fuel stacks: D. G.)

(a) Stack number(s)	(b) Stack attached to	(c) Capacity	(d) Fuel Type
1	DG SET	400KVA	DIESEL
(e) Fuel quantity (Kg/hr.)	(f) Material of construction	(g) Shape (round/rectangular)	(h) Height, m (above ground level)
125	MS	ROUND	5
(i) Diameter/Size, in meters	(j) Gas quantity, Nm3/hr.	(k) Gas temperature °C	(l) Exit gas velocity, m/sec.
0	0	0	0
(m) Control equipment preceding the stack	(n) Nature of pollutants likely to present in stack gases such as Cl₂, Nox, Sox TPM etc.	(o) Emissions control system provided	(p) In case of D.G. Set power generation capacity in KVA
NA	NA	ACOUSTIC ENCLOSURE	400

27. (B) Whether any release of odoriferous compounds such as Mercaptans, Phorate etc. Are coming out from any storages or process house.

NO

28. Do you have adequate facility for collection of samples of emissions in the form of port holes, platform, ladder etc. As per Central Board Publication "Emission regulations Part-III" (December, 1985)

Port hole	No	Details	NA
Platform	No	Details	NA
Ladder	No	Details	NA

29. Quality of treated flue gas emissions and process emissions. Quantity of treated flue gas emissions and process emissions.

Sr. No	Stack attached to	Parameter	Concentration mg/Nm³	flow (Nm³/hr)
1	DG SET 400KVA	TPM	0	

Vice Principal
Ashia Ram College of Nursing
Kampli

(Specify concentration of criteria pollutants and industry/process-specific pollutants stack-wise. Enclose a copy of the latest report of analysis from the laboratory approved by State Board/Central Board/Central Government in the Ministry of Environment & Forests. For proposed unit furnish expected characteristics of the emissions..

NA

Part - D: Hazardous Waste aspect

30. Information about Hazardous Waste Management as defined in Hazardous Waste (Management & Handling) Rules, 1989 as amended in Jan.,2000. Type/Category of Waste as per

Waste (Annually) Schedule I

Cat No	Type	Qty	UOM
NA		0	--NA--
Max	Method of collection	Method of reception	Method of storage
	NA	NA	NA
Method of transport	Method of treatment	Method of disposal	
NA	NA	NA	

Waste (Annually) Schedule II

31. Details about use of hazardous waste

Name of hazardous waste/Spent chemical	Quantity used/month	Party from whom purchased	Party to whom sold
NA	0	NA	NA

32.

a. Details about technical capability and equipments available with the applicant to handle the Hazardous Waste

NO

b. Characteristics of hazardous waste(s) Specify concentration of relevant pollutants. Enclose a copy of the latest report of analysis from the laboratory approved by State Board/Central Board/Central Govt. in the ministry of Environment & Forests. For proposed units furnish expected characteristics

NO

33.

Copy of format of manifest/record Keeping practiced by the applicant.

NA

34.

Details of self-monitoring (source and environment system)

NA

35.

Are you using any imported hazardous waste. If yes, give details.

NA

36.

Copy of actual user Registration/certificate obtained from State Pollution Control Board/Ministry of Environment & Forests, Government of India, for use of hazardous waste.

NA


Vice Principal
Asha Ram College of Nursing
Kamptee

37.

Present treatment of hazardous waste, if any (give type and capacity of treatment units)

NA

38. Quantity of hazardous waste disposal

(i) Within factory

0

(ii) Outside the factory (specify location and enclose copies of agreement.)

0

(iii) Through sale (enclosed documentary proof and copies of agreement.)

0

(iv) Outside state/Union Territory, if yes particulars of (1 & 3) above.

0

(v) Other (Specify)

0

Part - E: Additional information

39.

a. Do you have any proposals to upgrade the present system for treatment and disposal of effluent/emissions and/or hazardous waste.

NA

b. If yes, give the details with time- schedule for the implementation and approximate expenditure to be incurred on it.

NA

40.

Capital and recurring (O & M) expenditure on various aspect of environment protection such as effluent, emission, hazardous waste, solid waste, tree- plantation, monitoring, data acquisition etc. (give figures separately for items implemented/to be implemented).

NA

41.

To which of the pollution control equipment, separate meters for recording consumption of electric energy are installed ?

NA

42.

Which of the pollution control items are connected to D.G. Set (captive power source) to ensure their running in the event of normal power failure

NA

43. Nature, quantity and method of disposal of non- hazardous solid waste generated separately from the process of manufacture and waste treatment. (Give details of area/capacity available in applicant's land)

Type	Quantity	UOM	Treatment	Disposal	Other Details
SLUDGE FROM SEWAGE WATER TREATMENT	0	MT/A	NIL	MUNICIPAL LAND FILL	AS PER ACTUAL

44. Hazardous Chemicals - Give details of Chemicals and quantities handled and Stored.


 Vice Principal
 Asha Ram College of Nursing
 Kamplee

(i) Is the unit a Major Accident Hazard unit as per Mfg. Storage Import Hazardous Chemicals Rules ?

NO

(ii) Is the unit an isolated storage as defined under the MSIHC Rules ?

NO

(iii) Indicate status of compliance of Rules 5,7,10,11,12,13 and 18 of the MSIHC Rules.

NO

(iv) Has approval of site been obtained from the concerned authority?

NO

(v) Has the unit prepared an off-site Emergency Plan? Is it updated ?

NO

(vi) Has information on imports of Chemicals been provided to the concerned authority?

NO

(vii) Does the unit possess a policy under the PLI Act?

NO

45. Brief details of tree plantation/green belt development within applicant's premises (In hectares)

Open Space Availability	Plantation Done On	Number of Trees Planted
50 Square meter	15 Square meter(30 %)	10

46.

Information of schemes for waste Minimization, resource recovery and recycling - implemented and to be implemented, separately.

NA

47.

(a) The applicant shall indicate whether Industry comes under Public Hearing, if so, the relevant documents such as EIA, EMP, Risk Analysis etc. shall be submitted, if so, the relevant documents enclosed shall be indicated accordingly.

NA

(b) Any other additional information that the applicants desires to give

NA

(c) Whether Environmental Statement submitted ? If submitted, give date of submission.

NA

48.

I/We further declare that the information furnished above is correct to the best of my/our knowledge.

49.

I/We hereby submit that in case of any change from what is stated in this application in respect of raw materials, products, process of manufacture and treatment and/or disposal of effluent, emission, hazardous wastes etc. In quality and quantity; a fresh application for Consent/Authorization shall be made and until the grant of fresh Consent/Authorization no change shall be made.

50.

I/We undertake to furnish any other information within one month of its being called by the Board

Yours faithfully

Signature :

Name : DR.AMRITA SHARMA

Designation : COO



Vice Principal
Asha Ram College of Nursing
Kamptee

Additional Information

Air Pollution

Sr No.	Air Pollution Source	Pollutants	APCS Provided	Remark
1	NA	NA	NA	NA

Separate EM Provided	No	Other Emission Sources	NA
Measures Proposed	NA	Foul Smell Coming Out	No
Air Sampling Facility Details	NA		

D.G. Set Details

Description	Capacity(KVA)	Remarks
DG SET	400	125 FUEL CAPACITY

Hazardous Waste Generation

Hazardous Waste	Quantity	UOM	Treatment	Disposal	Other Details

CHWTSDF Details

Member of CHWTSDF	CHWTSDF Name	Remarks

Cess Details

Cess Applicable	Cess Paid	If Yes, UpTo
No	No	Jan 1 1900 12:00:00:000AM

Legal Actions

Legal Action Taken	Legal Record Of Company	Legal Action Details	Remarks
No			

Bank Guarantee Applicable: No

Annexure

Environment Clearance					
Date	Project Details	Capital Investment(Crs.)	Total Plot area(sq. mtrs.)	Total Built up area(sq. mtrs.)	Amendment/Extension
Jan 1, 1900		0	0	0	

Consent to Establish			
Date	Capital Investment(Crs.)	Total Plot area(sq. mtrs.)	Total Built up area(sq. mtrs.)
Jan 1, 1900	0	0	0

Consent to Operate	

[Signature]
Vice Principal

Asha Ram College of Nursing
Kamptee

Date	Capital Investment(Crs.)	Total Plot area(sq. mtrs.)	Total Built up area(sq. mtrs.)	CC/OC
Jan 1, 1900	0	0	0	

Application Details (Applied for Consent To Establish Expansion)

Date	Applied For	Capital Investment(Crs.)	Total Plot area(sq. mtrs.)	Total Built up area(sq. mtrs.)
Jan 1, 1900		0	0	0

Remark/Present status and violation if any

Environment clearance/Consent Before 2008

Date	Capital Investment(Crs.)	Amendment/Extension/Transfer
Jan 1, 1900	0	
Products	Quantity(MT/A)	
	0	

Consent To Establish

Date	Capital Investment(Crs.)
Jan 1, 1900	0
Products	Quantity(MT/A)
	0

Consent To Operate

Date	Validity	Capital Investment(Crs.)
Jan 1, 1900	Jan 1, 1900	0
Products	Quantity(MT/A)	
	0	

Application Details (Applied for Consent To Establish Expansion)

Date	Capital Investment(Crs.)
Jan 1, 1900	0
Products	Quantity(MT/A)
	0

Hazardous Waste Generation Categories C to E

Waste Name	Quantity(MT/A)
	0

Hazardous Waste Generation Categories C to O

Waste Name	Quantity(MT/A)
	0

Hazardous Waste Generation Categories C to E(Expansion)

Waste Name	Quantity(MT/A)
	0

Effluent Generation Categories C to E

Waste Name	Quantity(MT/A)
	0

Effluent Generation Categories C to O

Waste Name	Quantity(MT/A)
	0

Effluent Generation Categories C to E(Expansion)

Waste Name	Quantity(MT/A)
	0

Remark/Present status and violation if any

Quantity(MT/A)
0


Vice Principal
Asha Ram College of Nursing
Kamptee





महाराष्ट्र MAHARASHTRA

2023

97AA 159000

10 OCT 2024

MEMORANDUM OF UNDERSTANDING

This memorandum of understanding is made on this 4th day of February 2025 at Kamptee, District: Nagpur, Maharashtra; and it shall come into force w.e.f. 4th day of February 2025 BY AND BETWEEN

MANANAKCHAND PRABHUDAN CHARITABLE TRUST,

Reg. no. E- 1734(NAG) Kamptee, Nagpur


Hereinafter referred as "Party No. 1"

AND

ASIAN KHMC HOSPITAL

Reg. no. -1032(NAG) Shankar Nagar, Dharampeth, Nagpur-440010

Hereinafter referred as "Party No. 2"



1. Manakchand Prabhudan Charitable Trust: With a strong determination, ambition, motive and faith to spread & promote quality education for the girls of rural area of Tahasil: Kamptee, District: Nagpur; the Trust thought of establishing educational institutions such as schools, colleges and university as a study centers to promote and upscale the poor students of the rural areas. One such college institution has been established by the Trust, under the name and style as "Asha Ram College of Nursing, Asha Ram School of Nursing".
2. The idea and philosophy behind the establishment of Asha Ram College of Nursing, Asha Ram School of Nursing is to educate & train the student nurses professionally

Vice Principal

Asha Ram College of Nursing
Kamptee

1) प्रमाणिका क्रमांक	15355	दिनांक	24/10/2024
2) प्रमाणिका प्रकार	होमिय	3) प्रमाणिका स्थान	
4) प्रमाणिका करणार आहेत का	-	5) प्रमाणिकाचे श्रेष्ठता वर्णन	-
6) प्रमाणिका विकत घेणाऱ्याचे नाव व पत्ता	शाशिम कॉलेज ऑफ नर्सिंग, काहडी		
7) वस्तु असल्यास त्याचे नाव व पत्ता	श्रीराम वॉर्डिंग		
8) प्रमाणिका पक्षकाराचे नाव	-		
9) प्रमाणिका शुल्क रक्कम	100/-	10) प्रमाणिका शुल्क रक्कम	100/-

Abhama

शोभा द. वंजारी
तह. कार्यालय कामठी
ला. न. ८/८८ कोड नं. ४६०२००३

3. by imparting the professional knowledge and practical skills as per the curriculum, to help them in sharpening and developing skills in discharging their professional functions with a vision to impart and inculcate appropriate professional attitude in them to act as a responsible citizen of the society for promoting health, prevention of illness and rehabilitation of individual family and community, especially in rural and remote areas of our country.

4. The Party No. 1: Trustis being represented through its Trustee Dr. Rajendra Rambabuji Agrawal, aged to 68 year at Near Lekha Nagar Cantonment Area, Kamptee, Dist Nagpur.

5. The Party No. 2: ASIAN KHMC HOSPITAL is engaged in rendering prestigious & quality oriented hospital activities in the Nagpur City and around its various medical facilities to the public at large.

6. The Party No. 2: ASIAN KHMC HOSPITAL is being represented through it's Director Dr. Rahul Chaubey Now therefore both the parties hereto this covenant hereby jointly agree for executing this memorandum of understanding for the purposes set-out hereunder:

1. The students is studying in Asha Ram College of Nursing, Asha Ram School of Nursing in the course of Basic B.Sc. Nursing, RGNM, RANM Nursing Course of Health Sciences, Nashik & Maharashtra Nursing Council, Mumbai.

[Signature]
Vice Principal
Asha Ram College of Nursing
Kamptee

2. The Party No. 2 is having 50 bedded hospital with more than 50% occupancy.
3. The Party No. 1 & Party No. 2 have mutually agreed that Party No. 2 would provide and engage their hospital for clinical experience and practical training of nursing students, studying in the Asha Ram College of Nursing, Asha Ram School of Nursing controlled by Party No. 1.
4. The Party No. 2 has agreed to provide the facility of clinical experience and practical training of nursing students for 5 Years only from the date of execution of this covenant. The said period can be extended subject to mutual agreement between the parties hereto.
5. The covenant executed between the parties shall stand terminated in case of breach of the conditions specified hereinafter-

Salient features and key benefits for Party No. 2 in entering into the arrangement with Party No. 1 are enlisted herein below-

a) Nursing students imparted with quality education under the guidance and supervision of Asha Ram College of Nursing, Asha Ram School of Nursing would help, support and assist the hospital staff, which would in turn reduce the workload of hospital staff;


b) The students, in addendum to deep knowledge about the subject, do possess an ability to communicate convincingly and such abilities can be utilized by the hospital to develop and sharpen the skills of hospital staff and vice-versa the students can be imparted with technical skills which would enhance their abilities on field inter-alia the teaching ability and / or teaching skills of students can be nurtured;

c) A good team work between the students and hospital staff would help in developing and enhancing leadership qualities in the hospital staff;

d) Not just the hospital staff, but the nursing students will also be benefited by this effective step as the students will get more clinical exposure thereby resulting in improvising their technical and personal expertise in the field;

e) The nursing students will get more familiar and acquainted with new things related to patients and medical equipments used in carrying out day-to-day treatments;

f) With proper guidance from the hospital management coupled with joint efforts of students and hospital staff, the resources of the hospital can be utilized in more efficient manner by effective and balanced distribution of work amongst the staff members and students;




Vice Principal
Asha Ram College of Nursing
Kamptee

g) By imparting technical and on field knowledge, it would yield enhanced communication skills in the new learners;

h) The purposive approach of Party No. 1 is to enhance the on-field / clinical education imparted to the students by granting them an opportunity to learn by adopting the practical approach inter-alia to enhance the strength of the hospital staff.

Basic requirements of Party No. 1 from Party No. 2 are enlisted herein below-

- a) Parking for students and staff;
- b) Teachers sitting arrangement;
- c) A dedicated room for availing health education for the students with attached washroom(s).

NAGPUR

DATE: 4.2.2025

MANAKCHAND PRABHUDAN CHARITABLE TRUST



TRUSTEE

Party No. 1

Manakchand Prabhudan Charitable Trust

Dr. Rajendra Rambabuji Agrawal

Attested


05-02-2025

Rajvilas Devanand Bhimte
Advocate & Notary
Plot No. 103, Yashodhara Nagar,
Near Madi Mandir, Ghorpad Road,
Kamptee, Tehsil Kamptee,
Distt. Nagpur, Maharashtra-441002






Party No. 2

ASIAN KHMC HOSPITAL

Dr. Rahul Chaubey

Director




Vice Principal
Asha Ram College of Nursing
Kamptee

NAGPUR MUNICIPAL CORPORATION, NAGPUR

(HEALTH DEPARTMENT)



FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home
Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. Dr. Sameer B. Chaubey (MBBS,MD,DNB) has been registered under the Bombay Nursing Home Registration Act 1949 in respect of Asian Kidney Hospital and Medical Centre situated at 213, West High Court Road, Dharampeth, Near Shankar Nagar Chowk, Nagpur and has been authorized to carry on the said nursing home.

Registration No. : 1032

Date of Registration : 05/04/2021

Place : Nagpur

Date of issue of certificate : 01/04/2024

Maternity : 0

Other Nursing : 50

This certificate of registration shall be valid up to 31 Mar 2027.




Dr. D. S. S. S. S.
Signature

Registering Authority
Medical Officer Health
Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place.
Application for renewal should be done in advance in the month of January.

[Signature]
Vice Principal
Asha Ram College of Nursing
Kamptee



MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0712 - 2565308
Fax: 0712 - 2560851
Website: <http://mpcb.gov.in>
Email: ronagpur@mpcb.gov.in



Udyog Bhavan , 5th floor ,
Near Sales Tax Office, Civil
Line , Nagpur - 440 001

ORANGE/
No:- Format1.0/RO/UAN No.0000210699/CO/2409000063

Date: 02/09/2024

To,
M/s. ASIAN KIDNEY HOSPITAL AND MEDICAL CENTRE
213, WHC ROAD, DHARAMPETH, SHANKAR NAGAR,
NAGPUR DIST. NAGPUR.
Email: akhmc213@gmail.com
Contact No.: 9021694739



Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: Bio-Medical Waste Authorization granted by the Board vide no. RO-Nagpur/BMW_Auth/2111000172 dtd 17/11/2021.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. The consent is granted for a period up to :- 31/12/2026.
2. The capital investment of the HCF is **₹3305.86** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 1075.20 M² with Built-up area 2150.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **50 Nos.** (As per BNH certificate no. 1032 valid upto 31-03-2024)
 - I. General Beds : **8 Nos**
 - II. ICU/ICU Beds : **25 Nos**
 - III. Operation Theatre : **3 Nos**
 - IV. Other Beds : **14 Nos**
5. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 17 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
 2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
 3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		0	As per Actual	--NA--	NA

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
 11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
 12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
 13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.



14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 1.50 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice
18. HCE has submitted 12% interest rate penal charges of Rs. 50055/- vide dt: 28/08/2024 towards late submission of Bank Guarantee to MPC Board.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



dafafaeb
d4dd67ab
8178600b
4fcf17e9
3a3665b2
7dfab759
c2c49adb
b60fdc9a

Signed by: Hema Deshpande
Regional Officer
For and on behalf of,
Maharashtra Pollution Control Board
ronagpur@mpcb.gov.in
2024-09-02 15:39:56 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	100000.00	MPCB-DR-27352	18/06/2024	NEFT
2	54966.00	TXN2407003276	18/07/2024	Online Payment
3	50000.00	TXN2407003331	18/07/2024	Online Payment
4	40582.00	TXN2408004885	28/08/2024	Online Payment
5	50055.00	TXN2408004878	28/08/2024	Online Payment
6	75000.00	TXN2408004955	28/08/2024	Online Payment

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Vice Principal
Asha Ram College of Nursing
Kamptee

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	15.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	12	As per clause 'C'	100% Recycle
2	Trade effluent	1	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.



Vice Principal
Asha Ram College of Nursing
Kamptee

Annexure - II

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
---------	-------------------	-----------	----------	--------------------

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.


Vice Principal
Asha Ram College of Nursing
Kamptee

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	15.00	Yellow coloured, non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	350.00		
		d) Expired or Discarded Medicines	2.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	20.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	240.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
3	White (Translucent)	Waste sharps including Metals	20.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
4	Blue	a) Glassware	5.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Metallic body implants	0.00		

[Signature]
Vice Principal

Asha Ram College of Nursing
Kamptee

SCHEDULE-II

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals, Nagpur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).



Vice Principal

SCHEDULE-III**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTDF	Continuous	10,000.00
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
2	Effluent Treatment Plant not provided / need to up-gradation.	Continuous	50,000.00
Total			1,50,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.


 Vice Principal
 Asha Ram College of Nursing
 Kamptee

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.


Vice Principal
College of Nursing
Kamptee

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.




Vice Principal
Asha Ram College of Nursing
Kamptee



महाराष्ट्र MAHARASHTRA

2020



MEMORANDUM OF UNDERSTANDING

This Memorandum of understanding is made on this 03rd day of July 2021

BETWEEN

MANAKCHAND PRABHUDAN CHARITABLE TRUST,

Reg. no. E 1734 (NAG) Kamptee, Nagpur.


Hereafter called as "Party No. 1"

AND

Dr. Dalvi Memorial Hospital & Research Centre, Nagpur

Here in after called as "Party No. 2"

1. Manakchand Prabhudan Charitable Trust to spread & Promote. Education for the girls of the rural area of kamptee District Nagpur. Trust also through of establishing educational Schools, Colleges and university as a study centre to promote the poor students of the rural area.


Vice Principal
Asha Ram College of Nursing
Kamptee

१) मुद्रांक विक्री नोंद बही अनु क्रमांक ३९९२ / दिनांक ०२/१०/२०२१

२) वस्तुचा प्रकार - उडवणे/ग

३) वस्तुची नोंदणी करणार आहेत का होय / नाही

४) वस्तुचा धोडव्यात वर्णन -

५) वस्तुचे मूळ घेणाऱ्याचे नाव व पत्ता - अशाराम कॉलेज ऑफ नर्सिंग कामठी

६) वस्तुचा मूळ घेणाऱ्याचे नाव व पत्ता - सुधा शिरात


७) वस्तुचा मूळ घेणाऱ्याचे नाव -

८) मुद्रांक शुल्क रक्कम - १००/-

Rozat

शोभा द. वंजारी
तह. कार्यालय कामठी
ला.नं. ८/११

2. The Philosophy behind the establishment of Asharam College & School of Nursing is to educate & train the student nurses professionally by impacting the professional knowledge as per the syllabus and to help them in developing skills in their professional functions & to include right type of professional attitude in them to function as a good citizen in the society for promoting health, prevention of illness and rehabilitation of individual family and community, especially in rural and remote areas of our country.
3. The party No. 1 executed this agreement by Dr. Rajendra Rambabuji Agrawal, aged to 65 year Occupation, Physician, Residing at Plot No. 6 Shri Ramlaxmi Society , Near Asha Hospital , Cantonment Area Kamptee 441001 Dist Nagpur. Who held the post president in the trust .
4. The party No. 2 is engaged in the line of prestigious & quality oriented hospital activities in the city of Nagpur and around its various medical facilities to the public at large.


Vice Principal

Asha Ram College of Nursing
Kamptee

5. The party No. 2 executed this agreement through its Dr. Dalvi Memorial Hospital & Research Centre at Garoba Maidan Nagpur .

NOW THEREFORE BOTH THE PARTIES 1 AND 2 AGREE FOR :

1. THAT party No. 1 is applying for Basic B.Sc Nursing, RGNM , RANM Nursing course of Health Sciences, Nashik & Maharashtra Nursing Council, Mumbai .
2. THAT party No. 2 is having 50 beded hospitals with more than 75%Occupancy.
3. THAT party No. 1 has requested to party no 2 for providing their hospital for clinical experience and practical Training of nursing students.
4. THAT party No. 2 has agreed to provide their hospital for clinical experience of nursing students.
5. That party No. 2 has agreed to provide the facility for 5 year form today onwards It can be renewed after mutual agreement.

Place: Nagpur

Witness




CFO

Asharam College of Nursing
Kamptee 441002 Dist. Nagpur

Party No. 1

MANAKCHAND PRABHUDAN CHARITABLE TRUST




Party No. 2

Secretary
Dr. Dalvi Memorial Hospital
& R. C., Trust, Nagpur



Vice Principal
Asha Ram College of Nursing
Kamptee



NAGPUR MUNICIPAL CORPORATION, NAGPUR

(HEALTH DEPARTMENT)



FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home
Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. Secretary (Dr. Dalvi Memorial Hospital & Research Centre) has been registered under the Bombay Nursing Home Registration Act 1949 in respect of Dr. Dalvi Memorial Hospital & Research Centre situated at H. No. 323, Ward No. 24, Juna Bagadganj, Garoba Maidan, Nagpur and has been authorized to carry on the said nursing home.

Registration No. : 324
Date of Registration : 10/10/1995
Place : Nagpur
Date of issue of certificate : 01/04/2024

Maternity : 35
Other Nursing : 15

This certificate of registration shall be valid up to 31 Mar 2027.



D. S. S. S. S.
Dr. D. S. S. S. S.
Signature

Registering Authority
Medical Officer Health
Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place.
Application for renewal should be done in advance in the month of January.


Asha Ram
Vice Principal

Asha Ram College of Nursing
Kamptee

100
100
100

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0712 - 2565308
Fax: 0712 - 2560851
Website: <http://mpcb.gov.in>
Email: ronagpur@mpcb.gov.in



Udyog Bhavan , 5th floor ,
Near Sales Tax Office, Civil
Line , Nagpur - 440 001

ORANGE/

Date: 09/08/2024

No:- Format1.0/RO/UAN No.0000206144/CO/2408000871

To,
Dr. Dalvi Memorial Hospital & Research Centre Trust,
Nagpur
Dr. Rajendra Prasad Square, Central Avenue, Garoba
Maidan, Nagpur.
Email: dr.dalvihospital@yahoo.in
Contact No.:9423630826



Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: Bio-Medical Waste Authorization granted by the Board vide no. MPC/NRO/BMW_Auth/1903000024 dtd 01/03/2019.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. The consent is granted for a period up to :- 01/12/2027.
2. The capital investment of the HCF is ₹91.76 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 5000.00 M² with Built-up area 3500.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **50 Nos.** (As per BNH certificate no. 324 valid upto 31-03-2024)
 - i. Maternity Beds : **35 Nos**
 - ii. Other Beds : **15 Nos**
- 5: **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 5 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
 2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
 3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.


Vice Principal
Asha Ram College of Nursing
Kamptee

6. **Conditions under the Air (P&CP) Act, 1981:-**

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. **Conditions under Hazardous and Other Wastes (Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-**

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		0	As per Actual	--NA--	NA

8. **Conditions under Solid Waste Management rules 2016**

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. **Conditions under BMW Management rules, 2016 (As Amended):-**

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.



Vice Principal


Asha Ram College of Nursing
Kamptee

14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 1.50 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent. If it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



[Handwritten Signature]



Signed by: Hema Deshpande
Regional Officer
For and on behalf of
Maharashtra Pollution Control Board
ranagpur@mpcb.gov.in
2024-08-09 12:27:53 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	7500.00	MPCB-DR-0729	02/07/2020	NEFT
2	22500.00	TXN2404002338	13/04/2024	Online Payment
3	18918.00	TXN2405004439	23/05/2024	Online Payment

Balance CCA fees of Rs. 2500/- consider in next renewal.

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

[Handwritten Signature]

Vice Principal
Asha Ram College of Nursing
Kamptee

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**A. Water Consumption Details:-**

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	3.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	2	As per clause 'C'	Public sewers
2	Trade effluent	1	As per clause 'C'	Public sewers

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Standards for discharge in Public sewers
1	pH Value	5.5-9.0
2	Suspended Solid mg/l	600
3	Oil and Grease mg/l	20
4	BOD mg/l	350
5	COD mg/l	Not applicable
6	Bio-Assay Test	90% survival of fish after 96 hours in 100% effluent

- D.** You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E.** You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F.** The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G.** You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H.** All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.


Vice Principal

Asha Ram College of Nursing

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
---------	-------------------	-----------	----------	--------------------

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.



Vice Principal

Asha Ram College of Nursing
Kamptee

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	25.00	Yellow coloured non-chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	150.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	15.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	10.00	Yellow coloured non-chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	20.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	150.00	Red coloured non-chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
3	White (Translucent)	Waste sharps including Metals	30.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Metallic body implants	0.00		




Vice Principal

Asha Ram College of Nursing
 Kamptee

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals, Nagpur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure Submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).


Vice Principal
Asha Ram College of Nursing
Kamptee

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A Operation and Maintenance			
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
1B Records			
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	10,000.00
2 Performance			
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
2	Effluent treatment plant not provided / need up gradation	Continuous	50,000.00
Total			1,50,000.00


Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.


 Vice Principal
 Asha Ram College of Nursing
 Bangalore

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated, 16/11/2009 as amended.


Vice Principal

Asha Ram College of Nursing
Kamptee

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant.
21. You shall provide personal protection equipment as per norms of Factory Act 1948.
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.


Vice Principal
Asha Ram College of Nursing
Kamptee



महाराष्ट्र MAHARASHTRA

© 2022 ©



MEMORANDUM OF UNDERSTANDING

This Memorandum of understanding is made on this 29th day of March 2023

BETWEEN

MANANAKHAND PRABHUDAN CHARITABLE TRUST,


Reg. no: E 1734(NAG) Kamptee, Nagpur


Hereafter called as " Party No. 1"

AND

Director, Dr. Shrikant. Deshmukh (MD Psychiatric) Manas Clinic and Baba Rehabilitation & De-Addiction, Amravati.

1. Manakchand Prabhudan Charitable Trust was formed on 2002 to spread & Promote. Education for the girls of the rural area of kamptee District Nagpur. Trust also through of establishing educational Schools, Colleges and university as a study centre to promote the poor students of the rural area.


Vice Principal
Asha Ram College of Nursing
Kamptee

१) मुद्रांक विक्री नोंद वही अनु क्रमांक २६३५/ दिनांक - २६/०३/२०२३
२) वस्तुचा प्रकार - हस्तिया
३) वस्तु नादणी करणार आहेत का - <input type="checkbox"/> होय / नाही
४) विक्रीसाठी थोडक्यात वर्णन -
५) मुद्रांक विकत घेणाऱ्याचे नाव व पत्ता - आशाराम कॉलेज ऑफ नर्सिंग
६) हस्त असल्यास त्याचे नाव व पत्ता - राजा रामाजी काशी
७) दुसऱ्या पक्षकाराचे नाव -
८) मुद्रांक शुल्क रक्कम - १००/-
 <p>शोभा द. वंजारी तह. कार्यालय कामठी ला.न. ८/११</p>

- The Philosophy behind the establishment of Asharam College & School of nursing is to educate & train the student nurses professionally by impacting the professional knowledge as per the syllabus and to help them in developing skills in their professional functions & to include right type of professional attitude in them to function as a good citizen in the society for promoting health, prevention of illness and rehabilitation of individual family and community, especially in rural and remote areas of our country.
- The party No. 1 executed this agreement by Dr. Rajendra Rambabuji Agrawal, aged to 65 year Occupation: Physician, Residing at near lekha Nagar Cantonment area kamptee, Dist Nagpur who held the post of president in the trust.
- The party No. 2 is engaged in the line of prestigious & quality oriented hospital activities in the city of Nagpur and around its various medical facilities to the public at large.
- The party No. 2 executed this agreement through its Director, Dr. Shrikant Deshmukh (MD Psychiatric) Manas Clinic and Baba Rehabilitation & De-Addiction, Amravati.


 Vice Principal
 Asha Ram College of Nursing
 Kamptee

Now therefore both the parties 1 and 2 agree for:

1. THAT party No. 1 is applying for Basic B.Sc Nursing, RGNM , RANM Nursing course of Health Sciences, Nashik & Maharashtra Nursing Council, Mumbai .
2. THAT party No. 2 is having 50 beded hospitals with more than 75% Occupancy.
3. THAT party No. 1 has requested to party no 2 for providing their hospital for clinical experience and practical Training of nursing students.
4. THAT party No. 2 has agreed to provide their hospital for clinical experience of nursing students.
5. That party No. 2 has agreed to provide the facility for 03 years form today onwards It can be renewed after mutual agreement.

Place: Nagpur


Witness

MANAKCHAND PRABHUDAN CHARITABLE TRUST



TRUSTEE

Party No. 1



Dr. Shrikant Deshmukh

Reg.No 36101 MDDPM (Mumbai)

PSYCHIATRIST


Joglekar Plot, Congress Nagar Road,

AMRAVATI (M.S.) 444 606



Vice Principal

Asha Ram College of Nursing
Kamptee





**MAHARASHTRA STATE MENTAL HEALTH AUTHORITY
(MSMHA)**

Form-F

[See rule 66]

**CERTIFICATE OF PERMANENT REGISTRATION OF MENTAL
HEALTH ESTABLISHMENT**

The Maharashtra State Mental Health Authority, after considering the application under section 65 (2) or section 66 (3) or section 66(10) or section 66 (17) of the Mental Healthcare Act, 2017, hereby accords Permanent Registration to the applicant mental health establishment in terms of section 66 (4) or section 66 (11), or section (17) as per the details given hereunder:

Name: - Dr. Shrikant Deshmukh

Address: - Manas Clinic's Baba Punarvasan Kendra Congress Nagar Jogalekar
Plot Amravati

No of beds: - 100


Permanent Registration Certificate No.77/2023

The Permanent registration certificate No.77/2023 issued, is subject to the conditions laid down in the Mental Healthcare Act, 2017 and the rules and regulations made there under.

Place: Mumbai

Date: /01/2024

Seal of the Registration Authority


Registration Authority
(MSMHA)


Vice Principal
Asha Ram College of Nursing
Kamptee

AMRAVATI MUNICIPAL CORPORATION



FORM 'C'
(See Rule 5)

CERTIFICATE OF REGISTRATION UNDER SECTION 5 OF THE BOMBAY NURSING HOME REGISTRATION ACT, 1949

No. AMC/PHD/FW/NH/ 288/2023

This is to certify that Shri/Smt. Dr. Shrikant Babarao Deshmukh
has been registered under the Bombay Nursing Homes Registration Act, 1949 in
respect of Manas Clinic
situated at Joglekar Plot Congress Nagar Road Amravati
and has been authorised to carry on the said nursing home.

Registration No. 288

Bed : 015 Maternity : Nil other Nursing Patients : 015 (Total fifteen Bed)

Date of registration / Renewal 4-10-2023

Place Joglekar plot Amravati

Date of Issue of Certificate : 17-10-2023

This Certificate of registration shall be valid upto 31 march. 2026

Municipal Corporation, Amravati.



* महत्वाची सूचना *

आपण सादर देलेल्या प्रस्तावात संपादनीत नर्सिंग होम
रजि. अंकात १९४९ व त्याअंतर्गत देलेलेकी झालेल्या
सुधारणासूचना / कोशकाची प्रकाशकी पुढी आढळून आल्यास
नर्सिंगी/नृतनीकरण रद्द करण्याचे अधिकार राखून ठेवून
सादरचे प्रमाणपत्र देण्यात येत आहे.

सूचना : अग्निशमन व इलेक्ट्रीक ना हरकत प्रमाणपत्र मुदतीमध्ये नुतनीकरण करून घेणे बंधनकारक राहिल.
अन्यथा Noc चे मुदती दिनांकासोबत या प्रमाणपत्राची वैधता संपुष्टात येईल याची नोंद घ्यावी.

Ushab
04/10/2023
Signature of the registering authority
&
Medical Officer of Health
Municipal Corporation, Amravati

Vice Principal
Asha Ram College of Nursing

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0721-2563593
Fax: 0721-2563597
Website: <http://mpcb.gov.in>
Email:
sroamravati1@mpcb.gov.in



Sahkar Surbhi Bapatwadi,
Near Vivekanand Colony,
Amravati- 444606

ORANGE/
No:- Format1.0/SRO/UAN No.0000171891/CO/2308000270

Date: 03/08/2023

To,
M/s. Manas Hospital
Congress Nagar Road,
Joglekar Plot, Amravati,
Ta. & Dist. Amravati-444606
Email: drshrikant.deshmukh@gmail.com
Contact No.: 9823046036



Your Service is Our Duty

Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: Your application for Combine Consent and Bio-Medical Waste Authorization vide no.MPCB-CONSENT-0000171891 dated 19/06/2023.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **25-05-2023** To **30-06-2024**
2. The capital investment of the HCF is **₹328.28** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 6758.00 M² with Built-up area 3000.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **12 Nos.** (As per BNH certificate no. 12 valid upto 31-03-2020)
 - I. General Beds : **6 Nos**
 - II. Other Beds : **6 Nos**

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 2 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act, 1981:-


Vice Principal

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
NA					

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 2. You shall segregate and handover BMW to BMW T&D CTF **Global Eco Save Systems, Amaravati** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
 11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
 12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
 13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
 14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.


Principal

15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 1.15 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Amravati within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



Patil

9ada3dc4
a535d509
f074b77d
2f14ebbb
7c29086f
a093816f
fc12afa5
1a5a05a7

Signed by: Dhanashree G.Patil
Sub Regional Officer
For and on behalf of,
Maharashtra Pollution Control Board
sroamravati1@mpcb.gov.in
2023-08-03 16:56:34 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	16250.00	TXN2302003549	22/02/2023	Online Payment
2	44590.00	TXN2307000921	07/07/2023	Online Payment

Copy to:

1. Regional Officer, MPCB, Amravati for information.
 - - They are directed to ensure the compliance of the consent conditions.
 - SRO They are directed to ensure the compliance of the consent conditions.
2. Cheif Accounts Officer, MPCB,Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

[Signature]
Vice Principal
Asha Ram College of Nursing
Kamptee

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	2.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	1.5	As per clause 'C'	100% Recycle
2	Trade effluent	0	As per clause 'C'	100% Recycle

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable	
		Limiting Concentration in mg/except for pH	
1	pH	6.5-9.0	
2	Oil & Grease	10	
3	BOD (3 days 27°C)	30	
4	COD	250	
5	Total Suspended Solids	100	
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent	

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.



Vice Principal
Asha Ram College of Nursing
Kamptee

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	NA	--	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.



 Vice Principal
 Asha Ram College of Nursing
 Kamptee

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	1.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	10.00		
		d) Expired or Discarded Medicines	5.50	Separate collection system leading to effluent treatment system.	
		e) Chemical Waste	8.50		
		f) Chemical Liquid Waste	20.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00		
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	1.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
3	White (Translucent)	Waste sharps including Metals	2.50	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Global Eco Save Systems, Amaravati Amaravati
		b) Metallic body implants	0.00		

Vice Principal
Asha Ram College of Nursing
Kamptee


Vice Principal
Asha Ram College of Nursing
Kamptee

Responsibilities of the Health Care Facility

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Global Eco Save Systems, Amaravati** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Amravati and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).


Vice Principal

Asha Ram College of Nursing
Kamptee

SCHEDULE-III**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Provision of STP/ETP to achieve prescribed discharge standards	6 Months	50,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	25,000.00
Total			1,15,000.00

Note: You shall extend the previously submitted Bank Guarantee valid upto the validity of this CCA + 4 months additional.




Vice Principal
Asha Ram College of Nursing
Kamptee

General Conditions

The following general conditions shall apply:-


1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Amravati.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.


Vice Principal
Asha Ram College of Nursing
Kamptee

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.




Vice Principal
Asha Ram College of Nursing
Kamptee



महाराष्ट्र MAHARASHTRA

2024



MEMORANDUM OF UNDERSTANDING

This memorandum of understanding is made on this 11th day of July 2024 at Kamptee, District: Nagpur, Maharashtra; and it shall come into force w.e.f. 11th day of July 2024.

BY AND BETWEEN

MANANAKCHAND PRABHUDAN CHARITABLE TRUST,

Reg. no. E- 1734(NAG) Kamptee, Nagpur

Hereinafter referred as "Party No. 1"

AND

Shankara Super Specialty Hospital Unit of SJY Medical Life Science Pvt. Ltd.

At 136/1, Tikekar Marg Dhantoli Nagpur


Hereinafter referred as "Party No. 2"

1. Manakchand Prabhudan Charitable Trust : With a strong determination, ambition, motive and faith to spread & promote quality education for the girls of rural area of Tahasil: Kamptee, District: Nagpur; the Trust thought of establishing educational institutions such as schools, colleges and university as a study centers to promote

Vice Principal

Asha Ram College of Nursing

Kamptee

1. मद्रास विद्यापीठ वरील प्रश्न क्रमांक	7289	दिनांक - 11/07/2024
2. प्रश्नाचा प्रकार	- शासकीय	
3. शासकीय न्यायिक प्रश्नाचा प्रकार		
4. मित्रकामी व कोटेशन नमबर		
5. मद्रास विद्यापीठ शाखा-यादव नाव व पत्ता	शाशाशम, कॉलेज ऑफ नर्सिंग, कामठी.	
6. मद्रास असाधारण शाखा नाव व पत्ता	- शंकरा सुपर स्पेशलिटी	
7. मद्रास शाखाकार्यालय नाव		
8. मद्रास शाखा संकेत क्रमांक	- 1001 -	
		श्री. ड. राजारी सह. शाखाकार्यालय कामठी ता. न. ८, कोड नं. ४६०२००३

and upscale the poor students of the rural areas. One such college institution has been established by the Trust, under the name and style as "Asha Ram College of Nursing, Asha Ram School of Nursing".

2. The idea and philosophy behind the establishment of Asha Ram College of Nursing, Asha Ram School of Nursing is to educate & train the student nurses professionally by imparting the professional knowledge and practical skills as per the curriculum, to help them in sharpening and developing skills in discharging their professional functions with a vision to impart and inculcate appropriate professional attitude in them to act as a responsible citizen of the society for promoting health, prevention of illness and rehabilitation of individual family and community, especially in rural and remote areas of our country.
3. The Party No. 1: Trustis being represented through its Trustee Dr. Rajendra Rambabuji Agrawal, aged to 68 year at Near Lekha Nagar Cantonment Area Kamptee, Dist Nagpur
4. The Party No. 2: Shankara Super Specialty Hospital Unit of SJY Medical Life Science Pvt. Ltd is engaged in rendering prestigious & quality oriented hospital activities in the Nagpur City and around its various medical facilities to the public at large.
5. The Party No. 2: Shankara Super Specialty Hospital Unit of SJY Medical Life Science Pvt. Ltd is being represented through its Dr. Jitendra R. Yadav & Dr. Saurabh Agrawal. Now therefore both the parties hereto this covenant hereby jointly agree for executing this memorandum of understanding for the purposes set-out hereunder:
 1. The students is studying in Asha Ram College of Nursing, Asha Ram School of Nursing in the course of Basic B.Sc. Nursing, RGNM, RANM Nursing Course of Health Sciences, Nashik & Maharashtra Nursing Council, Mumbai.
 2. The Party No. 2 is having 50 bedded hospital with more than 75% occupancy.

3. The Party No. 1 & Party No. 2 have mutually agreed that Party No. 2 would provide and engage their hospital for clinical experience and practical training of nursing students, studying in the Asha Ram College of Nursing, Asha Ram School of Nursing controlled by Party No. 1.
4. The Party No. 2 has agreed to provide the facility of clinical experience and practical training of nursing students for 5 Years only from the date of execution of this covenant. The said period can be extended subject to mutual agreement between the parties hereto.
5. The covenant executed between the parties shall stand terminated in case of breach of the conditions specified hereinafter-

Salient features and key benefits for Party No. 2 in entering into the arrangement with Party No. 1 are enlisted herein below-

- a) Nursing students imparted with quality education under the guidance and supervision of Asha Ram College of Nursing, Asha Ram School of Nursing would help, support and assist the hospital staff, which would in turn reduce the workload of hospital staff;
- b) The students, in addendum to deep knowledge about the subject, do possess an ability to communicate convincingly and such abilities can be utilized by the hospital to develop and sharpen the skills of hospital staff and vice-versa the students can be imparted with technical skills which would enhance their abilities on field inter-alia the teaching ability and / or teaching skills of students can be nurtured;
- c) A good team work between the students and hospital staff would help in developing and enhancing leadership qualities in the hospital staff;
- d) Not just the hospital staff, but the nursing students will also be benefited by this effective step as the students will get more clinical exposure thereby resulting in improvising their technical and personal expertise in the field;
- e) The nursing students will get more familiar and acquainted with new things related to patients and medical equipments used in carrying out day-to-day treatments;
- f) With proper guidance from the hospital management coupled with joint efforts of students and hospital staff, the resources of the hospital can be utilized in more efficient manner by effective and balanced distribution of work amongst the staff members and students;


Vice Principal
Asha Ram College of Nursing
Kamptee

g) By imparting technical and on field knowledge, it would yield enhanced communication skills in the new learners;

h) The purposive approach of Party No. 1 is to enhance the on-field / clinical education imparted to the students by granting them an opportunity to learn by adopting the practical approach inter-alia to enhance the strength of the hospital staff.

Basic requirements of Party No. 1 from Party No. 2 are enlisted herein below-

- a) Parking for students and staff;
- b) Teachers sitting arrangement;
- c) A dedicated room for availing health education for the students with attached washroom(s).

NAGPUR

DATE: 11/07/2024

Party No. 1

Manakchand Prabhudan Charitable Trust

Dr. Rajendra Rambabuji Agrawal


MANAKCHAND PRABHUDAN CHARITABLE TRUST


TRUSTEE


Party No. 2

Shankara Super Specialty Hospital
Unit of SJY Medical Life Science Pvt. Ltd

1. Dr. Jitendra R. Yadav



2. Dr. Saurabh Agrawal



NAGPUR MUNICIPAL CORPORATION, NAGPUR

(HEALTH DEPARTMENT)



FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home Registration Act, 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. Dr. Jitendra R. Yadav (MBBS, D.Ortho) has been registered under the Bombay Nursing Home Registration Act 1949 in respect of Shankara Superspeciality Hospital Unit of SJY Medical Lifescience Pvt. Ltd. situated at 136/1, Tikekar Marg, Dhantoli, Nagpur and has been authorized to carry on the said nursing home.

Registration No. : 869

Date of Registration : 30/04/2011

Place : Nagpur


Date of issue of certificate : 01/04/2023

Maternity : 0

Other Nursing : 50

This certificate of registration shall be valid up to 31 Mar 2026.




Signature

Registering Authority
Medical Officer Health
Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place.
Application for renewal should be done in advance in the month of January.


Vice Principal
Asha Ram College of Nursing
Kamptee

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0712 - 2565308
Fax: 0712 - 2560851
Website: <http://mpcb.gov.in>
Email: ronagpur@mpcb.gov.in



Udyog Bhavan , 5th floor ,
Near Sales Tax Office, Civil
Line , Nagpur - 440 001

ORANGE/S.S.I
No:- Format1.0/RO/UAN No.MPCB-
CONSENT-0000201667/CO/2407000539

Date:
04/07/2024

To,
M/s. SHANKARA SUPERSPECIALITY HOSPITAL UNIT OF
SJY MEDICAL LIFESCIENCE PVT LTD
BEHIND DINANATH HIGH SCHOOL TIKEKAR MARG
DHANTOLI, NAGPUR.
Email: jitendrayadav9@gmail.com
Contact No.: 9372466930



Your Service is Our Duty

Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: Combine Consent No. Format1.0/RO/UAN No.0000193621/CE/2402000884 dtd 12/02/2024.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant consent to Establish to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. The consent is granted for a period up to :- 01/04/2027.
2. The capital investment of the HCF is ₹1952.00 Lakhs (As per C.A Certificate.Submitted by HCF)
3. HCF Area: - Plot Area 5225.00 M² with Built-up area 17883.00 M².
4. **Activities Included**

a. Total Number of Beds : 50 Nos. 0

I. General Beds : 10 Nos


II. ICU/ICU Beds : 18 Nos

III. Oncology Beds : 10 Nos

IV. Other Beds : 12 Nos

5. **Conditions under the Water (P&CP) Act, 1974:-**

1. Quantity of total water consumption shall not exceed 4 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.


Vice Principal
Asha Ram College of Nursing
Kamptee

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1		0	As per Actual	--NA--	NA

8. Conditions under Solid Waste Management rules 2016


1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
- 10.** You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
- 11.** Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
- 12.** You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.

13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 1.00 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



d9037549
7fc4b1a9
8d1ae831
bd27bb63
539ae5bb
889eb3ef
5059a87b
2f6650a7

Signed by: Hema Deshpande
Regional Officer
For and on behalf of,
Maharashtra Pollution Control Board
ronagpur@mpcb.gov.in
2024-07-04 12:10:06 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	150000.00	MPCB-DR-25446	22/03/2024	NEFT

Hospital Authority has submitted fees of Rs. 150000/- Out of Rs. 100000/- consider in CCA and Rs. 50000/- balance with Board consider in during next renewal.

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.


Vice Principal
Asha Ram College of Nursing
Kamptee

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	2.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	2.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00


B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	1	As per clause 'C'	Septic Tank soak pit.
2	Trade effluent	1	As per clause 'C'	On land for guarding of Hospital Premises.

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100.% effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.


 Vice Principal
 Asha Ram College of Nursing
 Kamptee

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
---------	-------------------	-----------	----------	--------------------

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.



Vice Principal
Asha Ram College of Nursing
Kamptee

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	75.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	120.00		
		d) Expired or Discarded Medicines	5.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	15.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	15.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	45.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
3	White (Translucent)	Waste sharps including Metals	5.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
4	Blue	a) Glassware	10.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Metallic body implants	7.00		

Responsibilities of HCF


1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals, Nagpur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

SCHEDULE-III**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	15,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	10,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTFD	Continuous	10,000.00
2	Performance		
1	To provide BMW separate storage facility as per guidelines of CPCB	Continuous	50,000.00
Total			1,00,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.


Vice Principal
Asha Ram College of Nursing
Kamptee

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.


Vice Principal

Asha Ram College of Nursing
Kamptee

15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.




Vice Principal
Asha Ram College of Nursing
Kamptee